TERMS OF CONDITIONS OF AUCTION SALE.

(*a*) The articles will be knocked down to the highest bidder and in the event of any dispute arising between two or more bidders at the same price, the lot or lots shall be put up again and resold.

(*b*) All articles purchased shall be at the risk of the purchasers thereof from time of sale.

(*c*) All lots shall be removed with faults and errors of all description as sold.

(*d*) Cash shall be paid in full for lot or lots purchased by bidders before delivery but the lot or lots shall not be removed from the place of auction until after the close of the sale.

(*e*) In case of default of payment to the whole or any portion of the purchase amount by any bidder, the articles shall be resold and the bidder shall be liable to make good to Government, any loss incurred thereby.

(*f*) A deposit of 10 per cent of the amount tendered by the successful bidder shall be recovered immediately the lots are knocked down in his favour, and such deposits shall be treated as forfeited to Government in case of any default to pay the purchase money within three days from the date of sale. On resale, the bidder shall be liable to make good any loss incurred thereby, without having the right to participate in any profits that may be realised.

H. R. VENKATASUBBA RAO,
Executive Engineer.

BANGALORE DISTRICT.

FORM OF ADVERTISEMENT.

Notice dated 25th April 1927.

Notice is hereby given that sealed tenders will be received at the Office of the Deputy Commissioner, Bangalore District, up to the forenoon of 1st June 1927, for the construction of a New Car for the Sri Ranganathaswamy temple at Tirumale, Magadi Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of six months from the date of acceptance of the tender.

2. The plans, detailed estimate and conditions may be seen at the Office of the Deputy Commissioner, Bangalore District, between the hours of 11 A.M. and 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rupees one hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the construction of a New Car for the Sri Ranganathaswamy temple at Tirumale, Magadi Taluk, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Deputy Commissioner, Bangalore District, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Deputy Commissioners's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The competitors should undertake to employ workmen from Southern India who are specially skilled in the execution of works of this sort.

Approximate estimate of quantities for the construction of a car for Sri Ranganathaswamy's Temple at Thirumale, Magadi Taluk.

Details of work	No	Dimensions			Contents	Total
Reserved jungle wood work wrought and put up in place of teak beams.	4	18½	1⅛	½	43·17	
Do for side frame	2	18½	7-12	2½	46·95	
Do do front and rear	2	11½	7-12	3½	46·95	
Do do do	2	1[illegible]	½	½	6·00	
Do for joints	4	2¼	½	½	4·25	
Horizontal beams	2	18½	½	½	9·25	
Do sides	2	12	½	2	4·00	
Do do	2	4	½	2	8·00	
Do for joints	2 x 8	1½	½	1½	15·00	
Do on side pieces	4	3⅜	½	1/12	4·27	
Do beams	4	14½	½	½	9·66	
Do sides	4	3¾	½	7-12	4·38	
Do do	2	10	½	1	10·00	
Horizontal beams front and rear sides	2	10	½	1¼	12·50	
Do beams	4	15	½	½	15·00	
Do sides	4	12	½	½	12·00	
Do do	2	15	½	1	15·00	
Do do	2	12	½	1	12·00	
Do beams	4	14¾	½	½	14·75	
Do sides	4	14¾	½	½	14·75	
Side of horizontal beams	2	14¾	½	1¼	18·43	
Do do	4	14¾	½	1⅛	39·53	
Cross beams	2 x 2	10½	½	½	10·50	
Do	2	1[illegible]	½	1½	19·66	
Horizontal beams	4	12¾	½	1½	38·25	
Sides	4	9	½	½	9·00	
Do	2	12¾	½	1½	19·12	
Do	4	9	½	1½	27·00	
Horizontal beams	4	8¾	½	½	8·75	
Do sides	4	8¾	½	½	8·75	
Do for cross	2	8¾	½	1¼	21·83	
Do cross pieces	2	9	½	½	4·50	
Horizontal beams	2	5	½	½	2·50	
Do	2	5	½	½	2·50	
Do	4	5	½	1¼	12·50	
Top portion	1	5	5	¼	6·25	
Vertical beams	5 x 2	14	½	½	35·00	
Do	5 x 2	10	½	½	25·00	
Do	3 x 2	2½	½	½	3·75	
Faces of outside	2 x 1	11½	2½	8/12	38·33	
Do	2 x 2	3	2½	8/12	20·00	
Do	2 x 2	6	½	½	6·00	
Do	4 x 4	12	½	½	48·00	
Planks	2 x 2	9	½	1¼	7·50	
Do	2 x 2	11	½	1¼	9·17	
Do	2 x 2	11½	½	1½	11·50	
Horizontal beams	2 x 4	6½	½	7-12	15·17	
Planks	2 x 2	6½	½	1⅜	7·58	
Horizontal beams	2 x 4	7½	½	7-12	17·50	
Planks	2 x 2	7½	½	1⅜	7·58	
Horizontal beams	2 x 4	7½	½	7-12	17·50	
Planks	2 x 2	7½	½	1¼	6·25	
Horizontal beams	2 x 4	8	½	½	12·00	
Planks	2 x 2	6	6	1¾	7·00	
Unforeseen items			Lump sum		100·00	
Total ..	..	....			935·93	
Angle Iron plates—						
For joints big	108	(size 2′ x 6″ x ¼″) ..			108	
Do small	16 x 4	(,, 2′ x 2″ x ¼″) ..			64	
Do small	16 x 2	(,, 2′ x 1″ x ¼″ ..			32	
Teakwood ornamental carving for faces—						
Around the car	..	....			1,400 R.ft.	
Iron hooks (6″ dia. ½″ thick)	64	....			64	
Wooden Image of different sizes with teakwood ..	200	....			200	
Nails, bolts and nuts for joints, etc.	..	Lump sum			..	
Brass belts	100	....			100	
Jungle wood axle, large	2	(Size 18½ x 1⅛ x 1⅛)..			2	
Do small	1	(Size 11½ x 1⅛ x 1⅛)..			1	
Jungle wood wheels, 6½′ Dia. $\frac{\frac{7}{8}+1\frac{1}{2}}{2}$ thick ..	..	....			36	
Iron axles, 2 large and 1 small	4″ x 4′	Lump sum			..	
Iron bars, 1½″ Dia. for tightening 4 big and 4 small wheels.	..	Do			..	
Wood oiling to car, complete	..	Do			..	

G. B. HEBLIKAR,
Deputy Commissioner.

KOLAR DIVISION.

Dated 27th April 1927.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 2 P.M. on 23rd May 1927, for Restoring Chikkaiyur Mallamankere tank Registered No. 168, Kolar Taluk. An approximate estimate of quantities is

given below. These quantities are not guaranteed. The work should be com end of April 1928.

2. The plans, detailed estimate and conditions may be seen at t Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtai Executive Engineer. The tenders should be accompanied by a statement n below, showing the rates at which the different items specified will be executed

Description of work	Unit of work	Rate

4. Each tender must be accompanied by a deposit of Rs 100 in cash ment Promissory Notes, as earnest money, and be superscribed "Tender for Chikkaiyur Mallamankere Tank in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engine not bind himself to accept the lowest or any tender or to assign any reason wh rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful co be required to execute the usual contract bond; in default of which, his tender sidered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been acce posted on the notice board in the Executive Engineer's Office in due course. regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the Tenders, the earnest money on rejected returned:—

	Items of work	Per	Quantity	Rate
	Bund R. L. 54·50.			Rs. a.
1	Earthwork to bund including watering and tamping..	C.yds.	5,151	
2	Cutting grips in old bund for joining old and new earthwork.	Grade	8	
3	Cutting and removing big honge trees existing on bund and clearing its roots.	Lump		
4	Turfing	S.yds.	3,200	
5	Providing grade stones including cutting figures and painting.	No.	10	
6	Do Index stones	„	10	
7	Do B. M. stones	„	1	
8	Do Register No. stone	„	1	
9	Do Date stones	„	1	
10	Do Inscription stone	„	1	
11	Rough stone revitment new	C.yds.	620	
12	Removing and Resetting old stone with new jelly.	„	139	
	Total ...			
	Sluice No. 1.			
	Constructing a rear cistern examining and repairing sluice.	Lump sum		
	Waste weir 90 feet long L. R.	50·00		
1	Earthwork excavation	C.yds.	84	
2	Surki concrete	C.ft.	302	
3	Burnt brick in surki mortar	„	951	
4	Burnt stone slabs 6" thick	S.ft.	160	
5	Plastering with surki morter	Sqr.	11·49	
6	Rough stone apron	C.yds.	31	
7	Providing joggles	No.	10	